Medical Director Verification

Please identify the physician providing Quality Assurance oversight to your individual agency. If your agency provides Defibrillation, Epi-Pen, Blood Glucometry, Albuterol or Advance Life Support (ALS), you must have specific approval from your Regional EMS Council's Medical Advisory Committee (REMAC) and oversight by a NY state licensed physician. If you change your level of care to a higher ALS level, you must provide the NYS DOH Bureau of EMS a copy of your REMAC's written approval notice.

If your service wishes to change to a lower level of care, provide written notice of the change and the level of care to be provided, and the effective date of implementation, to your REMAC with a copy to the NYS DOH Bureau of EMS.

If your agency has more than one Medical Director, please use copies of this verification and indicate which of your operations or REMAC approvals apply to the oversight provided by each physician. Please send this form to your DOH EMS Central Office for filing with your service records.

Defibrillation / P.	AD Epi Autoinject	Albuterol	Blood Glucometry	Naloxone
СРАР	Check and Inject	12 Lead	Ambulance Transfusion Service (ATS)	
EMT Level of Care	AEMT Level of Care	Critical Care Level of Care	Paramedic Level of Care	Controlled Substances (BNE License on File)
Agency Name				
Agency Code Number	Agency	Type: Ambulance	☐ ALSFR ☐ BLSFR	
Agency CEO	Name			
Medical Director				
	Name			
	NYS Physician's License Number			
Ambulance/ALSFR Agency Controlled Substance License # if Applicable: 03C —				
Ambulance/ALSFR Agency Controlled Substance License Expiration Date:				
I affirm that I am the Physician Medical Director for the above listed EMS Agency. I am responsible for oversight of the pre-hospital Quality Assurance/Quality Improvement program for this agency. This includes medical oversight on a regular and on-going basis, inservice training and review of Agency policies that are directly related to medical care.				
I am familiar with applicable State and Regional Emergency Medical Advisory Committee treatment protocols, policies and applicable state regulations concerning the level of care provided by this Agency.				
If the service I provide oversight to is not certified EMS agency and provides AED level care, the service has filed a Notice of Intent to Provide Public Access Defibrillation (DOH-4135) and a completed Collaborative Agreement with its Regional EMS Council.				
Medical Director				
Date of Signature				