

Procedure/Skill Evaluation

Student: \_\_\_\_\_ Level:  CFR  EMT- B I A Date: \_\_\_\_\_  
 Time: \_\_\_\_\_  
 Evaluator: \_\_\_\_\_ Start: \_\_\_\_\_ End: \_\_\_\_\_ Total: \_\_\_\_\_ Pass/Fail \_\_\_\_\_

**Intranasal Drug Administration**

Takes or Verbalizes BSI procedures	
Completes assessment(s) and determines patient needs medication	
<b>Calls Medical Direction for order or confirms standing order</b>	
<b>Lists indication of for Intranasal Narcan administration</b>	
<ul style="list-style-type: none"> <li>• Reversal of CNS and respiratory depression induced by narcotics</li> </ul>	
<u>List Contraindications:</u> * Pediatrics * Nasal Trauma * Seizure Activity	
*Cardiopulmonary Arrest * Therapeutic Opiate	
<b>Prepare Equipment</b>	
Check medication - clarity and expiration	
<ul style="list-style-type: none"> <li>• Right patient</li> </ul>	
<ul style="list-style-type: none"> <li>• Right medication</li> </ul>	
<ul style="list-style-type: none"> <li>• Right dose</li> </ul>	
<ul style="list-style-type: none"> <li>• Right route</li> </ul>	
<ul style="list-style-type: none"> <li>• Right time</li> </ul>	
Lists the appropriate dosage for the medication 2.0 mg, repeat dose of 2.0 mg if RR < or = 10 after 5 minutes from initial dose	
Verbalize consideration of restraining the patient prior to drug administration	
Properly Administers the medication: <ul style="list-style-type: none"> <li>• Assembles Mucosal Atomization Device (MAD) to syringe securely</li> <li>• Inserts MAD into the nostril</li> <li>• Administers the medication in a fast push manner</li> </ul>	
Verbalize the need for ongoing assessments including observance the desired affects	
Verbalize the indications for an additional dose	
Voice proper documentation of medication administration	

**Critical Criteria:**

- \_\_\_ Use appropriate standard precautions
- \_\_\_ Ensure 5 rights of medication administration are met
- \_\_\_ Reassess patient for desired or adverse effects after medication administration